


(Unit) SAFETY PROGRAM


Instructions

- The unit briefing is in the title. It would read "Fort Knox Safety Program" if the Senior Mission Commander at Knox were briefing; it would read "1st Brigade Safety Program" if the 1st Brigade Commander was briefing, etc.
- Each pie chart shows the total number of sub-units rated G-A-R based on the % of "GOs" in that category.
- Sub-units are the subordinate commands being briefed. Sub-units would be Brigade equivalents if a Senior Mission Commander was briefing; Battalion equivalents if a Brigade Commander was briefing, etc.
- The pie is broken into corresponding colors with the numbers reflected. The example given shows Water Safety: 2 sub-units are rated green, one rated amber, and one rated red.


General





POV Safety



Water Safety



Heat Injury Prevention



(Unit) SAFETY PROGRAM STATUS

UNIT	GENERAL	POV	WATER	HEAT
1 Bde	85%	90%	100%	90%
2 Bde	92%	100%	84%	92%
3 Bde	88%	75%	97%	92%
4 Bde	94%	90%	100%	100%
Ft Knox	90%	83%	94%	95%

Instructions

- The briefing unit is in the title.
- Each sub-unit indicates what % of applicable metrics were rated “go” in the four safety categories
- The last row is the composite of the briefing unit. It rolls up the sub-unit metrics in each category along with any metrics rated at their level for a complete command view.
- Each box contains the “go” % and the corresponding color: 100-90 Green; 89-70 Amber; 69-0 Red
- A “no-go” in a critical task rates the category red regardless of “go” %
- The example given shows the each sub-unit rating in the four categories and the Ft Knox SMC composite evaluation
 - * The “general” and “heat” categories show typical composite roll-ups
 - * The “POV” shows a composite of 83% with a 90% “red” rating for 1 Bde. Explanation: 1 Bde did well but had a “no-go” in critical task which rated them “red”. Critical tasks of subordinates do not affect composite ratings of HHQ.
 - * The “water” composite shows a 94% “red” rating. Explanation: The senior mission commander had a “no-go” in a critical task at the installation level.

(Unit) SAFETY PROGRAM STATUS

UNIT	RATING	REMARKS
Sub-Unit		
2 Bde	POV / Water	Non-Swimmers are not identified; motorcyclists licensed without Basic Riders Course
Sub-Unit		
Sub-Unit		
Ft Knox	Water	Adaquate numbers of lifeguards are not available

Instructions

- The unit briefing is in the title.
- Each sub-unit indicates their worst rating (G-A-R) and in what category(s).
- The unit briefing provides a composite of their worst rating and in what category.
- The remarks are used to show what drove the rating. Also used to highlight initiatives that drove a “Green” rating.
- The example shows a sub-unit (2d Brigade) rated “red” in POV and Water Safety and the composite (Ft Knox) rated “red” for Water Safety.
- * A “red” rating in a sub-unit does not equal a “red” rating in the composite. The HHQ roll-up of all the applicable metrics determines the composite rating.

(Unit) GENERAL SAFETY PROGRAM MANAGEMENT

UNIT	RATING	CORRECTIVE ACTION / ASSISTANCE REQUESTED
Sub-Unit		
Ft Knox	72%	Installation Safety Office has one TDA authorization. Workload requires four positions. Request TDA change or contract \$ for shortfall.

Instructions

- The unit briefing and the safety category is in the title
- Each subunit indicates their rating (G-A-R) and "GO" % for the category being briefed
- The briefing unit provides a composite rating, including metrics at their level, for the category being briefed
- The remarks are used to show what is being done at the unit level or what assistance is required from higher headquarters to improve the rating
- The example shows the composite evaluation of the Senior Mission Commander at Fort Knox. Fort Knox is "Amber" in General Program Management. The Senior Mission Commander is requesting TDA positions or contracting dollars to hire adequate safety specialists.

(Unit) POV SAFETY

UNIT	RATING	CORRECTIVE ACTION / ASSISTANCE REQUESTED
Sub-Unit		
Unit		

Instructions

- Follow instruction for previous slide.

(Unit) WATER SAFETY

UNIT	RATING	CORRECTIVE ACTION / ASSISTANCE REQUESTED
Sub-Unit		
Unit		

Instructions

- Follow instruction for previous slide.

(Unit) HEAT INJURY PREVENTION

UNIT	RATING	CORRECTIVE ACTION / ASSISTANCE REQUESTED
Sub-Unit		
Unit		

Instructions

- Follow instruction for previous slide.